

1U and up

Model	K199	K2	K6	T450	K129	K5
CPU Socket	115X Series	115X Series	115X Series	115X Series	115X Series	115X Series
Type						
Power Watts(w)	125	125	55	205	125	125
Application	1U and up	1U	1U and up	1U	1U	1.5U and Up
Dimension (mm)	85*81.5*28.5	82.6*81*27.8	83*81*27.8	113*78*25	90*90*26.5	92*92*41
Weight(g)	355	380	200	600	490	200
Material	Copper Heatsink with Skiving Fins	Copper	Aluminum 6061 Skived Fins	Copper 1100 for both Vapor Chamber Base and Fin Stack	Copper Heat Sink with Skiving Fins	Aluminum Extruded Radial Fin
Fan/Blower	8015	7515	8015	8015	NA	9225

2U and up

Model	K650	K785	K666	K555	K618	K668
CPU Socket	115X Series	115X Series	115X Series	115X Series	115X Series	115X Series
Type						
Power Watts(w)	125	125	125	125	125	165
Application	2U and up	2U and up	2U and up	2U and up	2U and up	2U and up
Dimension (mm)	88.5*87*64	90*90*62	90.7*85*64	94*87.5*67.7	90*90*66	81*80 *68
Weight(g)	460	500	500	460	490	700
Material	Copper Base with Aluminum Stacked Fin	Aluminum Extruded Radial Heatsink with Copper Core	Copper Base & Aluminum Fins with Heat Pipe embedded	Copper Base & Aluminum Fins with Heat pipes embedded	Aluminum Stacked Fin	Copper Heatsink with Heat Pipes
Fan/Blower	6025	7720	6025	7720	NA	6025

3U and up

Model	K987	K17	K985	T768
CPU Socket	115X Series	115X Series	115X Series	115X Series
Type				
Power Watts(w)	125	125	125	125
Application	3U and Up	3U and Up	3U and up	3U and up
Dimension (mm)	106*106*72.6	91*91*110	106*106*72.6	98*98*110
Weight(g)	500	530	500	538
Material	Aluminum Extruded Radial Heatsink with Copper Core	Aluminum Fins, 4x Heat Pipes with H.C.C. Technology	Aluminum Extruded Radial Heatsink with Copper Core	Aluminum Fins, 4x Heat Pipes with H.C.C. Technology
Fan/Blower	9225	9225	9225	9225