

info : 04

2020 H2 Product Book

The Wall

Product Packing



1:1

USB-C Hub

Mega 16-in-1 USB-C Docking Station ●

Specifications /

Product name : Mega 16-in-1 USB-C Docking Station

Model No. : HCD016MG2F

Connector Interface (Input) : USB-C + DC 12V 3A

Connector Interface (Output) : SD slot x1, micro SD slot x1, USB-C x3, USB3.0 x2, USB2.0 x2, Audio Jack x1, HDMI x2, Display Port x1, VGA x1, Ethernet(RJ45) x1, USB-C PDx1

Data Transfer : USB3.1 : Max 5Gbps \ SD 3.0: Max 104Mbps

Max. Resolution : HDMI up to 4Kx2K@30Hz \ DP/VGA up to 1080P@60Hz

\ PD : Max 20V/5A \ Audio : 16bit48K \ RJ-45 : 10/100/1000M

Dimensions : 90mm * 170mm * 56mm

Weight : 382g +/- 5g

Warranty : 24 Months

Package Includes : Mega 16-in-1 USB-C Docking Station x 1 \

AC to DC Cable x 1 \ Plug x 3 (US/UK/EU)

Video Guide



▼ Come with international plugs / Perfect auto cut-off protection



3 USB-C and 4 USB-A ports satisfy the needs for multiple device charging. It immediately turns a phone/tablet with OTG function to a mini PC.



▲ HDMI/VGA/DP ports support the MST of the OS. It can stream 4K or 1080P video to two external monitors and simultaneously display three different screens for various tasks.

Other Features /

- DC-in ensures a stable power supply.
- Metal chassis with stand dissipates heats efficiently and saves space.

1:2

USB-C Hub

Portable 9-in-2 USB-C Hub ●


Specifications /

Model No. : HCM009AP2F
 Connector Interface (Input) : USB-C 3.1 x2
 Connector Interface (Output) : HDMI x2, USB3.0 x2, SD slot x1,
 micro SD slot x1, Ethernet(RJ45) x1, USB-C x1, USB-C PD x1
 Data Transfer : USB3.1: Max 5Gbps 、 SD 2.0: Max 48Mbps
 Max. Resolution : HDMI up to 4Kx2K@30Hz 、 PD : Max 20V / 5A
 、 RJ-45 : 10/100/1000M
 Dimensions : 340mm * 45mm * 14.5mm
 Weight : 100g +/- 5g
 Warranty : 24 Months

Video Guide



Plug and play; extend storage capacity immediately.



Integrally formed aluminum chassis




Two HDMI port with dual display capability allows extended desktop or duplicated desktop on two external monitors in 4K resolution. Triple-display comes triple vision and conveniently optimize work efficiency and entertainment.



▲ 100W PD power-in supported

Other Features /

- Support PD Fast Charging and Data Transmission
- Upgraded 1,000Mbps Ethernet Port



▲ Nine commonly used ports

1:3

USB-C Hub

Jet Glass 8 in 1 USB-C Lego Hub ●



▲ Plug & Play Wireless Charging Block

Specifications /

Connector Interface (Input) : USB-C 3.1
Connector Interface (Output) : USB-C PD x1 · USB-C x 1 · USB-A 3.1 x 2
· SD x1 · Micro SD x1 · HDMI x 1 · 3.5mm Audio Jack x 1
Data Transfer : USB3.1: Max 5Gbps · SD 2.0 · Micro SD 2.0
Max. Resolution : HDMI up to 4KX2K@30Hz · Wireless Charger : DC 5V/400MA,
DC 5V/1A · PD : Max 20V/5A
Dimensions : Hub : 305mm * 45mm * 12.5mm,
Wireless Charger : 59mm * 52mm * 12.5mm
Weight : Hub : 89 g +/- 5g , Wireless Charger : 50 g +/- 5g
Warranty : 24 Months

USB-C Connector ▶



Video Guide



100W PD capable of charging laptop with 100W demand



Metal x Glass



▲ OTG turns tablets/phones to Ultra Mobile PCs

▼ Small device; large 4K video output



▲ designed to charge
Apple Watch



▲ designed to charge
AirPods, and
Qi-Compatible devices

Other Features /

- The Dual USB-A 3.1 you ever need
- Glass with metal chassis and solid L-shaped USB-C Connector
- Smart IC with multiple protection and international safety standard compliant

1:4

USB-C Hub

Jet Glass 7 in 1 USB-C Hub ●

Video Guide



Perfectly charges
your MacBook Pro

Specifications /

Connector Interface (Input) : USB-C 3.1

Connector Interface (Output) : Ethernet RJ45 x 1 \ USB-C PD x1 \ USB-A 3.1 x2 \ HDMI x1 \ Micro SD x 1 \ SD x 1

Data Transfer : USB3.1: Max 5Gbps

Max. Resolution : HDMI up to 3840*2160@30Hz \ PD : Max 20V / 3.75A

Dimensions : 70mm * 70mm * 27mm

Weight : 103g +/- 5g

Warranty : 24 Months

Other Features /

- Double USB-Cs reinforce the connectivity
- Glass panel and metal casing combination
- Smart IC with multiple protection and international safety standard compliant



◀ HDMI Connector



◀ Small device; large 4K video output

The Jet Glass 7 in 1 HUB equipped with HDMI x 1, USB-C PD x 1, USB-C x 1, USB-A 3.1 x 2, SD x 1, Micro SD x 1 ports, providing the best solution to daily home and office use.



▼ Extend storage capacity by connecting to external USB drives or inserting Tf card without compromise.



1:5

USB-C Hub

Jet Glass 6 in 1 USB-C Hub ●



▲ OTG turns tablets/phones to Ultra Mobile PCs



◀ 100W PD capable of charging laptop with 100W demand


Other Features /

- 6 commonly used ports
- Glass panel and metal casing combination
- Smart IC with multiple protection and international safety standard compliant



◀ The HDMI port is able to stream media on your phone/tablet to a large monitor or projector with a 3.5mm audio jack that perfectly fits your need for both entertainment and business.

▼ USB-C reversible connector supports Macbook Pro/iPad Pro & other Laptops/Tablets/Phones with USB-C port.



Video Guide



Specifications /

Connector Interface (Input) : USB-C 3.1
Connector Interface (Output) : USB-C PD x1 \ USB-A 3.1 \ SD x1 \ Micro SD x1 \ HDMI x1 \ 3.5mm Audio Jack x 1
Data Transfer : USB3.1: Max 5Gbps \ SD 2.0 \ Micro SD 2.0
Max. Resolution : HDMI up to 4KX2K@30Hz \ PD : Max 20V/5A
Dimensions : 96.8mm * 37.5mm * 10.3mm
Weight : 38 g +/- 5g
Warranty : 24 Months

1:6

USB-C Hub

Portable 8 in 1 USB-C Hub ●

Specifications /

Connector Interface (Input) : USB-C 3.1

Connector Interface (Output) :

Ethernet (RJ45)x1、USB-C PD x1、USB-A 3.1 x2、SD Card x1、HDMI x1、VGA x1、3.5 mm x1

Data Transfer : USB3.1: Max 5Gbps、SD 2.0: Max 48Mbps

Max. Resolution :

HDMI up to 4KX2K@30Hz / VGA up to 1080P@60Hz、PD : Max 20V / 3A、Audio : 16bit48K

Dimensions : 280mm * 60mm * 16mm

Weight : 111g +/- 5g

Warranty : 24 Months

Video Guide



▼ Perfect craftsmanship on shining metal



▲ Equipped with the most effective 8-in-1 multi-port



▲ HDMI and VGA simultaneous streaming on two screens

▲ USB-C PD duplex transmission and compatibility with multiple peripherals

Other Features /

- Upgrade with a 3.5 mm headphone jack
- Expand with the Ethernet port
- It has built-in protection from overcurrent, overvoltage, high temperature, short circuits and overloads

1:7

USB-C Hub

Portable 6-in-1 USB-C Hub ●



▲ Feittek 6-in-1 USB-C hub equipped with an HDMI port, an SD card slot, 2 USB-A ports, a USB-C PD, and an RJ45 ethernet port fits all your needs.

Specifications /

Model No. : HCM006AP2F

Connector Interface (Input) : USB-C 3.1

Connector Interface (Output) : Ethernet (RJ45)x1 · USB-C PD x1 · USB-A 3.1 x2 · SD Slot x1 · HDMI x1

Data Transfer : USB3.1: Max 5Gbps · SD 2.0: Max 48Mbps

Max. Resolution : HDMI up to 4KX2K@30Hz · PD : Max 20V / 5A

Dimensions : 265mm * 45mm * 16mm

Weight : 80g +/- 5g

Warranty : 24 Months

Other Features /

- USB-C PD with full-duplex operation
- Ethernet port for stable internet connection
- Metal chassis with perfect craftsmanship

Video Guide



▼ Mirror or extend your screen in 4K resolution via the HDMI port with various devices. Experience the new vision differently.



◀ Smart IC inside.



▲ Turn your phone/tablet to a mini PC.

1:8

USB-C Hub

Proxy 5 in 1 USB-C Hub ●



- ▲ Embedded individual chip on HDMI port, USB-A ports*2, USB-C ports*2 and RJ-45 port, which allows your computers and cellphones to connect with more devices.

Specifications /

Connector Interface (Input): USB-C 3.1
Connector Interface (Output): RJ45 Ethernet x1, USB-C PD x1, USB-A 3.1 x2, HDMI x1
Data Transfer: USB 3.1 5Gbps (Max)
Max. Resolution: HDMI up to 3840*2160@30Hz, PD: 20V / 3.75A (Max)
Dimensions: 70mm * 70mm * 27mm
Weight: 103g +/- 5g
Warranty: 24 Months

Other Features /

- 4K High Resolution & Cable Network
- Multi-Port Adapter Interface
- Smart IC with multiple protection and international safety standard compliant

Video Guide



- ▼ With USB-C interface, it is pluggable on both sides. One side supplying PD high speed power, which is compatible with laptop up to 60W that's durable and stable without damaging the battery, and the other side can be connected to the computer for data transmission at the same time.



- ▶ Anti-slip base, single-hand to plug and unplug, and a high stability; Two-door design when close to dust-proof, and when open to place your devices.



High Speed Double USB-A 3.0 ▶

1:9

USB-C Hub

Display 2 in 1 USB-C Hub ●



▲ Perfect craftsmanship on shining metal



Specifications /

Connector Interface (Input) : USB-C 3.1

Connector Interface (Output) : HDMI x1 · VGA x1

Max. Resolution : HDMI up to 4KX2K@30Hz / VGA up to 1080P@60Hz

Dimensions : 250mm * 46mm * 16mm

Weight : 43g +/- 5g

Warranty : 24 Months

Video Guide



Other Features /

- Just one hub for business trips
- An HDMI port that supports video output of up to 4K, also capable of up to 1080p output through a VGA connection
- It has built-in protection from overcurrent, overvoltage, high temperature, short circuits and overloads

▼ HDMI and VGI simultaneous streaming on two screens / Same screen/split-screen dual mode



▲ Supports mainstream notebooks and mobile devices with USB-C ports and different operating systems. It's intuitive plug and play.

2:1 Power Bank

Power Capsule 10000mAh ○

Video Guide



◀ Power Capsule can simultaneously charge 3 portable devices including a Nintendo Switch, a phone, and a pair of AirPods, powering-up every moment.



▲ The power capsule is equipped with a 10,000mAh battery cell which is 15 times larger than the original AirPods Case, keeping your AirPods at full battery power all the time.

▲ Equipped with 18W USB-C PD and USB-A dual power output mode, the power bank can deliver 1.5 charges to iPhone 11 Pro Max, and it is also compatible with QC 3.0. (The test result is verified by Feeltek's authorized laboratory)



◀ Designed for AirPods, the charging case can magnetically lock AirPods in place and charges it just like the original AirPods case. The built-in LED indicators in Green and Red showing the charging status of your AirPods or mobile devices. It is compatible with AirPods Gen 1 and Gen 2. The minimalist oval-shape case with UV coating brings a higher structural strength and anti-fouling ability.

(AirPods not included)

Other Features /

- Grade A+ battery cell.
- Six protections, Eco-friendly, and energy saving.

Specifications /

Capacity : 10000mAh
Battery : Li-Polymer cells
Input : Micro USB : USB-C : DC 5V/2.4A, 9V/2A, 12V/1.5A (18W Max)
Output : AirPods Charging : DC 5V/500mA
USB-C : DC 5V/2.4A, 9V/2A, 12V/1.5A(18W Max)
USB-A : DC 5V/3A, 9V/2A, 12V/1.5A
Diminision : 66.5mm * 132mm * 27mm
Weight : 203g +/- 5g
Warranty : 12 Months

2:2

Power Bank

Omni PD Power Bank 10000mAh ●●

Video Guide



▲ UV workmanship; explores the definition of beauty



◀ Uses A+ batteries with the same specifications as mobile phones

▼ Takes just 30 minutes to charge to 50% capacity



▲ Supports QC3.0 for complete and diverse compatibility

Other Features /

- Perfect capacity, enough for daily use throughout the day
- Press the button to activate the display for remaining power level
- Smart IC ensures power safety for you

Specifications /

Capacity : 10000mAh
Battery : Li-Polymer cells
Input : Micro USB : DC 5V/2A, USB-C PD : DC 5V/2A, 9V/2A(18W Max)
Output : USB-C PD : DC 5V/2A, 9V/2A, 12V/1.5A(18W Max) ;
 USB-A QC 3.0 : DC 5V/3A, 5V-9V/2A, 9V-12V/1.5A
Diminision : 137mm * 69mm * 13.5mm
Weight : 191g +/- 5g
Warranty : 12 Months

2:3

Power Bank

Nano Power Bank 10000mAh ●●●●

Other Features /

- Press the panel to activate the display for remaining power level
- Redefines the beauty of portable power supplies
- Smart IC ensures power safety for you
- Perfect capacity, enough for daily use throughout the day




▲ 5V/2.1A; high efficiency dual USB output

Specifications /

Capacity : 10000mAh
Battery : Li-Polymer Cell
Input : Micro USB : 5V/2A
Output : USB-A : 1&2 : DC 5V / 2.1A, 1+2 : DC 5V / 2.4A(Max)
Dimensions : 92.5mm * 64mm * 23.5mm
Weight : 199g +/- 5g
Warranty : 12 Months



◀ A portable power supply that's smaller, lighter and more aesthetically pleasing
Compared with similar portable power supplies using 18650 batteries, it is 20% lighter and 30% smaller



▶ Uses A+ batteries with the same specifications as mobile phones

3:1

Apple Certified Cable

Made for
iPhone | iPad | iPod

Air Lightning to USB-C Cable 180 & 120 cm ●


Video Guide



Pairing with the Feittek Elec PD charger, charging for 80% battery would only take one hour.
▼ (Base on iPhone XS Max / low battery as performance benchmark)



▲ According to laboratory experiments, the Air Cable can resist bending up to 30000 times at 60 degrees, and it can stand up to 50kg of tension.



Other Features /

- 3A Power Supply
- Aluminum Connector, Usable with Your Phone Case On

Specifications /

Interface : Lightning Connector & USB-C Connector
Dimensions : 180 cm , 120 cm
Weight : 40g +/- 5g , 30g +/- 5g
Warranty : 36 Months



▲ Compatible With All System, Upgrade Synchronously with iOS



▲ MFi Certified, AWG International Standard Two-Colour Nylon Weave, Strong SR Cushion Structure

3:2



Apple Certified Cable

Made for
iPhone | iPad | iPod


Video Guide



USB-C to Lightning Cable 180 & 120 cm ○



Exclusive SR cushion structure allows it to bend 360 degrees, increasing resistance to reduce wear off.



▲ Compatible With All System, Upgrade Synchronously with iOS

Other Features /

- Passed swaying, bending and tension tests
- MFi Certified, AWG International Standard

Specifications /

Interface : Lightning Connector & USB-C Connector
Dimensions : 180 cm , 120 cm
Weight : 40g +/- 5g , 30g +/- 5g
Warranty : 36 Months



▲ Soft and Firm TPE, Odourless & Eco-Friendly

PD18W Power: Charge 30 minutes for 50% ▲

3:3

Apple Certified Cable

Made for
iPhone | iPad | iPod

Video Guide




Air Lightning to USB-A Cable 100cm / 180cm ●●

▼ AWG standard wire gauge, enhancement of charging capacity



Strong strain relief (SR) structure, the key is wrapping like an air cushion ▲



Other Features /

- Passed swaying, bending and tension tests
- Certified MFi by Apple Inc., it supports the newest version of iOS
- The aluminum cover is resistant to high temperatures and electromagnetic interference

Specifications /

Dimensions : 100 cm
Weight : 27g +/- 5g
Warranty : 36 Months



▲ The small sized contact can be used with the device's case on



▲ Bicolor nylon cable/ absolute improvement of strength ▲

3:4

Multi-Plug Cable

Android Fast Charging Multi-Plug Cable 200 cm ●

Video Guide



▼ Support PD 100W power charging




▲ The 4C cable is equipped with USB-C/USB-A/Micro-USB connectors to charge iPad Pro/Laptop/Tablet/Earphone /Car Charger/Power Bank or even Switch.

Other Features /

- The cable can manage 60 degrees bending up to 30000 times and support pull-out tensions up to 50kg, authenticated by a third-party lab.
- To comply with the AWG International Standard, the copper core inside is covered by two layers of aluminum foils.

Specifications /

Interface : USB-A & USB-C & Micro USB Connector
Dimensions : 180 cm , 120 cm
Weight : 40g +/- 5g , 30g +/- 5g
Warranty : 36 Months



▲ Reinforced TPE strain relief


▲ Two-tone nylon braided cable

3:6

HDMI Cable

Flexible USB-C to HDMI Cable 180cm ●

Video Guide



▼ Wear-resisting connectors increase stability and durability.



▲ With USB-C and HDMI male connectors at both ends, USB-C connector allows phone, tablet, and laptop to stream high-resolution video to a large screen such as TV, multi-media monitor, or projector.

Other Features /

- Smart IC; stable and highly efficient
- Aluminum alloy chassis with exquisite craftsmanship
- TMDS high-frequency transmission technology

Specifications /

Interface : USB-C Connector & HDMI Connector
Dimensions : 180cm
Weight : 63g +/- 5g
Warranty : 36 Months



▲ 4K Hi-Res video display in Duplicate/Extend mode



▲ Whether for work or entertainment, your phone or tablet with complete USB-C functions can output video content, movies, TV shows, apps, presentations, websites, slideshows to your big screen. With larger display comes a broader vision.

3:7


USB-C Cable

USB-C to USB-C Cable 200 cm & 120 cm ○

Video Guide



▼ Support PD 100W power charging




▲ Compare to traditional USB-A cable, the USB-C power output reaches up to 100W, improving the charging speed by 30% faster.

Other Features /


- With USB-C reversible plug, it's easy to charge MacBook Pro 15"/iPad Pro/Laptop with USB-C PD/ Tablet/Earphone/Power Bank or even Nintendo Switch. The future of connectivity is here.
- Soft and firm TPE / Odorless & Eco-Friendly.
- Wide-Angle Flex & Pull-Out Tests

Specifications /

Interface : USB-C Connector
Dimensions : 200 cm , 120 cm
Weight : 40g +/- 5g , 30g +/- 5g
Warranty : 36 Months



▲ OEM Process brings true efficiency.



▲ Twice layered, twice the protection

3:8

USB-C Cable

USB-C to USB-A Cable 200 cm & 120 cm ●

Video Guide



▼ With USB-C reversible plugs, we can easily charge for iPad Pro and all other devices with a USB-C port such as laptops/ tablets/ headphones/ car charger/ power bank and Switch.



▲ Contexture Cotton Thread, Soft and Smooth to Use / Support 3A Fast Charging

Other Features /

- Wide-Angle Flex & Pull-Out Tests
- Design and manufactured with matte TPE material gives it a soft and smooth texture and allows it to bend easily.
- Easy to use with your phone case on

Specifications /

Interface : USB-C & USB-A Connector
Dimensions : 200 cm , 120 cm
Weight : 40g +/- 5g , 30g +/- 5g
Warranty : 36 Months



▲ Insulated Protection To Reduce Disturbance



▲ Special Cotton Thread Contexture, No Intertwist

3:9

HDMI Cable

Air UHD 4K HDMI Cable 2m / 3m / 5m ●

Static HDR and 3D visual effects ▶



▲ HDMI 2.0 High speed video-audio sync & Tough zinc alloy connector with braided cable

Other Features /

- Widely compatible to HDMI port devices
- Dynamic synchronization of video and audio streams

Specifications /

Interface : HDMI Male Connector x 2
Dimensions : 2 m , 3 m , 5 m
Weight : 135g +/- 5g , 228g +/- 5g, 327g +/- 5g
Warranty : 36 Months

Video Guide



▲ 4K Resolution - Clear down to every single detail




▲ Gold plated connector & Dual layer braided and foil shielding

3:10

HDMI Cable

Air UHD 8K HDMI Cable 2m / 3m ●

Dynamic HDR & 3D visual effects ▶



▲ HDMI 2.0 High speed video-audio sync & Tough zinc alloy connector with braided cable

Other Features /

- Widely compatible to HDMI port devices
- Dynamic synchronization of video and audio streams
- Listen to Hi-Fi class audio just now

Specifications /

Interface : HDMI Male Connector x 2
Dimensions : 2 m , 3 m
Weight : 135g +/- 5g , 228g +/- 5g
Warranty : 36 Months

Video Guide



▲ Uncover the unparalleled depth and detail



▲ Gold plated connector & Dual layer braided and foil shielding

3:11

Ethernet Cable

Flexible Cat 8 Ethernet Cable 3m / 5m ●

Pure copper cable & Dual layer braid and foil shielding ▶



▶ Durable gold plated connector

Other Features /

- High Speed Transmission
- High compatibility
- Modular connectors of push for pull & plug and tough PVC jacket

Specifications /

Interface : RJ 45 Connector x 2
Dimensions : 3 m , 5 m
Weight : 135g +/- 5g , 216g +/- 5g
Warranty : 12 Months

Video Guide



Ultra speed of 40 Gbps ▶



4:1 Charger

Mega PD Dock 75W ○

Video Guide



▲ Charger with Quick Charge 3.0 charges 4 times faster than the regular 5W charger, and also compatible with QC 2.0. (Charge testing conducted with drained devices units from 0%-50%)

Other Features /

- Cooling stand / Smart LED
- Six protection; International safety standard compliant

Specifications /

Input: AC100-240 1.5A 50/60Hz (Max)
Output 1 (USB-C): PD3.0: DC 5V/3A,9V/3A,12V/3A,15V/3A,18V/3A,20V/3A(Max)
Output 1 (USB-C): QC3.0: DC 3.6V-6V/3A,6V-9V/2A,9V-12V/1.5A(Max)
Output 2 (USB-C): PD3.0: DC 5V/3A,9V/2A,12V/1.5A,15V/1.2A(Max)
Output 2 (USB-C): QC3.0: DC 3.6V-6V/3A,6V-9V/2A,9V-12V/1.5A(Max)
Output 3&4 (USB-A): DC 5V/2.4A (Total Max)
Input Interface: US or UK
Dimension: 103mm * 72mm *27.8mm
Weight: 240 g +/- 5g
Warranty: 18 Months



▲ USB-C PD and QC 3.0 supported
60W+18W Duo PD output

▼ International voltage support (UK/US)



▲ The smart energy distribution allows various power output to match various devices (Laptop/MacBook/iPad Pro/iPhone/Android Phone/Nintendo Switch)

4:2 Charger

Elec PD US Charger 18W ○

Video Guide



▲ Mini size with retractable prong.

Specifications /

Input: AC 100-240 1.1A 50/60Hz(Max)

Output1 - USB-A: DC 5V/2.1A (Max)

Output2 - USB-C PD 3.0: DC 5V/2.4A, 9V/2.15A, 12V/1.5A (Max)

Input Interface: US Plug

Dimension: 55mm * 44mm *27mm

Weight: 76g +/- 5g

Warranty: 18 Months



Unique UV coating with high strength PC+ABS shell achieves better heat dissipation, and it's also mini, durable, light, and portable.



▲ Business or travel; One charger fits all.

▼ Compatible with Apple iPhone and Android phones

▲ 3 charging mode with 2-way smart power distribution



Other Features /

- Within 30 minutes, the 18W charger can deliver 30% more power than a regular 5W charger. (Original USB-C to Lightning cable required. Test result based on charging from 0%~50%)
- Compact and portable; fireproof, durable, and temperature resistant
- Six protections, Eco-friendly, and energy saving

4:3

Charger

Elec PD UK Charger 30W ○



- ▲ The smart power output can auto-adjust and switch to 5V, 9V, or 12V to protect the device from the damage caused by surge current, and manage to extend the battery life.



- ◀ With a wide range of voltage support from AC 100V to 240V, the Elec PD charger will fit all your need whether it's for business or travel. (Adapters required in some areas)

Specifications /

Input: AC100-240 1A 50/60Hz (Max)

Output 1 (USB-C PD): DC 5V/3A, 9V/2A, 12V/1.5A, 15V/1.2A (Max)

Output 1 (USB-C QC 3.0): DC 3.6V-6V/3A, 6V-9V/2A, 9V-12V/1.5A (Max)

Output 2 (USB-A): DC 5V/2.4A (Max)

Plug Type: UK

Dimension: 60mm * 60mm * 29.2mm

Weight: 124 g +/- 5g

Warranty: 18 Months

Video Guide



- ▲ 2-way smart output with 30W up to the maximum

- ▼ Compatible with Apple and Android devices



Other Features /

- Charge to 50% in 30 minutes
- Compact and portable; fireproof, durable, and temperature resistant
- Six protections, Eco-friendly, and energy saving


4:4

Charger

Elec PD US Charger 30W ○



▲ Takes just 30 minutes to charge to 50% capacity



◀ The smart voltage adjustment outputs 5V, 9V, and 12V to protect the device from instantaneous current, thereby prolonging battery life by conserving battery cycles

Specifications /

Input : AC 100-240 1.1A 50/60Hz(Max)
Output : USB-A : DC 5V/2.1A(Max) ; USB-C PD 3.0 : DC 5V/2.4A, 9V/2.15A, 12V/1.5A(Max)
Input Interface : US Plug
Dimension : 55mm * 44mm *27mm
Weight : 76g +/- 5g
Warranty : 18 Months

Other Features /

- Six safety protections; environmentally friendly and energy saving
- Just one charger covers both business and travel
- Compact and portable; fireproof, durable, and temperature resistant



▲ 2-port smart shunt, 30W simultaneous output

Compatible with Apple and Android devices ▶

Video Guide



▲ Uniquely polished UV, delicate feel, high-strength PC+ABS, durable, mini, and light

4:5

Webcam

Elec HD Webcam 720p ●



▲ The CMOS sensor with the lens consists of 5 plastic layers that enable the webcam to have a 68-degree viewing angle, further enhancing the contrast and video quality.

Automatically seize every moment. ▶



Other Features /

- deliver your voice clearly and precisely.
- Compact and portable
- Smooth video conferencing experience

Specifications /

USB interface : USB2.0

Support system : Win XP / Vista / 7 / 8 / 10 or higher / Linux / Mac OS / Smart TV With UVC

Sensor : CMOS 1/4 inch Big chip

Dynamic Resolution : 1280*720 · 1024*768 · 800*600 · 640*480

Frame Rate : 30fps

Focus : Auto Focus

Image output format : YUY2, JPEG, Video output format: MJPEG, YUY2

Built-In Microphone : Digital microphone

Lenses : High-quality five-layer lens

Dimensions : 80mm x 33mm x 73mm , Cable length : 180cm

Weight : 102g +/- 5g

Warranty : 24 Months



▲ High-quality HD720p video & Flexible and stable multifunctional mount.

Video Guide



▼ Plug & play - Mac/PC compatible.



4:6

Webcam

Elec Full HD Webcam 1080p ●



- ▲ The CMOS sensor with the lens consists of 5 plastic layers that enable the webcam to have a 77-degree viewing angle, further enhancing the contrast and resolution. The IR650 filter cuts off the invisible infrared and improves the video quality for a better filming experience.

Automatically seize every moment. ▶



Other Features /

- deliver your voice clearly and precisely.
- Compact and portable
- Automatic calibration

Specifications /

USB interface : USB2.0
Support system : Win XP / Vista / 7 / 8 / 10 or higher / Linux / Mac OS / Smart TV With UVC
Sensor : CMOS 1/2.7 inch Big chip
Dynamic Resolution : 1920*1080 , 1280*720 , 1024*768 , 800*600 , 640*480
Frame Rate : 30fps
Focus : Auto Focus
Image output format : YUY2, JPEG, Video output format: MJPEG, YUY2
Built-In Microphone : Digital microphone
Lenses : High-quality five-layer lens + IR Filter
Dimensions : 80mm x 33mm x 73mm , Cable length : 180cm
Weight : 102g +/- 5g
Warranty : 24 Months



Video Guide



- ▲ Amazing FHD1080p video quality & Flexible and stable multifunctional mount.

- ▼ Plug & play - Mac/PC compatible.



4:7

Webcam

Elec FHD Pro Webcam 1080p ●



▲ Mobile phone class 6-layer plastic lens with IR filter eliminates the invisible infrared and improves the video quality to obtain an outstanding video-shooting effect.

Multi-functional mount with stand ▶

Other Features /

- Clear voice input
- Compact and portable
- Automatic calibration

Specifications /

USB interface : USB2.0
Support system : Win XP / Vista / 7 / 8 / 10 or higher / Linux / Mac OS / Smart TV With UVC
Sensor : 1/4 inch Big chip
Dynamic Resolution : 2592*1944 · 1920*1080 · 1280*720 · 1024*768 · 800*600 · 640*480
Frame Rate : 30fps
Focus : Fixed Focus
Image output format : YUY2, JPEG, Video output format: MJPEG, YUY2
Built-In Microphone : Dual digital microphone
Lenses : High-quality six-layer lens + IR Filter
Dimensions : Webcam : 90mm x 90mm x 40mm , Cable length : 180cm
Tripod : 33mm x 145mm x 28mm
Weight : Webcam : 143g +/- 5g, Tripod : 31g +/- 5g
Warranty : 24 Months



Video Guide



▲ Astonishing high-quality Full HD 1080p experience & 5.0 Mega Pixel vivid video output

▼ Plug & play - Mac/PC compatible.



5:1

Wireless Charging Pad

Full Up Wireless Charging Pad 10W ●

Other Features /

- Supports Qi-certified devices
- Smart Black Technology / A Powerful 10W Charger
- Rapid Heat Dissipation to Keep Devices Cool / Exclusive Ventilation Design
- One-Second Activation to Start Charging Your Device / No Performance Drop Even Without Removing the Protective Case
- Smart Battery with Six Layers of Protection
- The Double-sided, Non-slip Surface Offers Twice the Stability
- Powerful Adhesion and Friction

Specifications /

Input : 5V/2A or 9V/1.67A

Output : 5V/1A(5W) or 9V/1.12A(10W)

Input Interface : USB-C

Dimensions : Pad / 90mm * 90mm * 8mm, Cable / 100 cm

Weight : 143g +/- 5g

Warranty : 24 Months

▼ The Perfect Integration of Metal and Fabric



compatible with the full series of Apple and Android models ▲



▲ Foreign Object Detection Technology



▲ Beyond Amazing Craftsmanship / USB-C Input

5:2

Wireless Charging Pad

Full Up Wireless Charging Pad 15W ●●



A work of art of metal and leather ▲

Other Features /

- Supports Qi-certified devices
- Evolution of extraordinary technology, 15W fast charging
- Rapid Heat Dissipation to Keep Devices Cool / Exclusive Ventilation Design
- One-Second Activation to Start Charging Your Device
- Smart Battery with Six Layers of Protection
- The Double-sided, Non-slip Surface Offers Twice the Stability
- Powerful Adhesion and Friction

Specifications /

Input : 5V/2A or 9V/1.67A
Output : 5V/1A or 9V/1.12A or 12V/1.25A
Input Interface : USB-C
Dimensions : Pad / 90mm * 90mm * 8mm, Cable / 100 cm
Weight : 143g +/- 5g
Warranty : 24 Months

Video Guide




▲ Foreign Object Detection Technology

No Performance Drop Even Without Removing the Protective Case ▼



▲ Beyond Amazing Craftsmanship / USB-C Input



▲ compatible with the full series of Apple and Android models

5:3

Wireless Charger

Elec UV Sterilizer with wireless charger 15W ●

Other Features /

- Supports Qi-certified devices
- Small size yet large capacity.
- Sterilize whatever you want.
- Stylish textured matt surface
- Stable and safe

Specifications /

Input : DC 5V/2A, 9V 2A
Wireless Charging Output : 15W(MAX) Matching
Sterilize Power : 2W
Conversion Efficiency : $\geq 78\%$
Dimensions : 222mm * 120mm * 32mm
Cavity Size : 179mm * 105mm * 27mm
Weight : 285g +/- 5g
Warranty : 12 Months

▼ Sterilize whatever you want.



▼ Qi-compatible wireless charging device outputs up to 15W of power.



Harmless 360-degree coverage UV-Led ▲



▲ Exquisite arc design Elec Box can accommodate a 7-inch phone, making it a portable, light, and stylish gadget for travel and work.

6:1

Home Living

Mega TV Wall Mount 32"-55" Flat Screen ●

Other Features /

- Support weighing up to 44 lbs.
- ultra-slim & flexible adjustment
- Neat and practical design for cable management

Specifications /

TV Size Range : 32"-55"
Max Load : 44lbs.(22kg)
Max VESA : 400mmx400mm
Tilt Angle : -8°
Swivel Angle : ±90°(180°)
Distance to Wall : 30mm-410mm
Wall stud configuration : Single Stud
Dimensions : 400mm * 400mm * 390mm
Weight : 2kg

▼ Easy do-it-yourself instructions




▼ Fine selected steel for reliable strength and safety



▲ 8 degrees of downwards angle

▼ Articulating design



▲ Packed with 4 extension brackets can meet max VESA up to 400mmx400mm max., perfectly for 32" to 55" TVs. (With VESA pattern: 100mmx100mm / 200mmx100mm / 200mmx200mm / 400mmx200mm / 300mmx300mm / 400mmx400mm)

6:2

Home Living

Mega TV Wall Mount 32"-70" Flat Screen ●


Other Features /

- Premium 6 arms support for greater safety
- Upgraded TV mounting plate
- Fine selected steel for reliable strength and safty

Specifications /

TV Szie Range : 32"-70"
Max Load : 110 lbs.(50kg)
Max VESA : 600mmx400mm
Tilt Angle : $\pm 15^\circ$
Swivel Angle : $\pm 60^\circ$ (120°)
Distance to Wall : 100mm-510mm
Wall stud configuration: min 8.8" - max. 10.6" wide
Arm Length : 50cm
Dimensions : 644mm * 500mm * 390mm
Weight : 5.5kg

▼ Easy do-it-yourself instructions




▼ Heavy duty of 6 arms design, support weighing up to 110lbs

▲ 15 degrees of downward angle



▼ Articulating design



▲ Stepless Adjustable Wall Mount bracket allows you to attach them to TV according to your TV mounting holes with Max VESA up to 600mm x 400mm (With VESA pattern: 100mmx100mm / 200mmx100mm / 200mmx200mm / 400mmx200mm / 400mmx400mm / 600mmx400mm)